





## Case type 5: direct bonding

These markings apply only to the treated tooth / teeth.

Note that the soft tissue management provisions that apply to diastema closure cases or very extensive class IV restorations involving the contact point.

### General criteria

Open/defective margins (intra-oral / radiographs)

**Fail**

Open contacts

0 -1 -2 **Fail**

Iatrogenic damage to adjacent teeth

**Fail**

### Soft tissue health

Inflammation on photos

0 -1 -2 -3 -4 -5 **FAIL**

Interproximal black triangles

**FAIL**

0 -1 -2 -3 -4 -5 -6 -7 -8 -9 -10 **FAIL**

### Photography

Can not be judged due to poor photography

0 -1 -2 -3 -4 -5 **FAIL**

Cannot be judged due to missing photographs

0 -1 -2 **FAIL**

Blood, excess saliva / lips covering margins

0 -1 -2 **FAIL**

Pictures out of focus / poorly framed

0 -1 -2 -3 -4 -5 **FAIL**

Pictures inappropriately exposed

0 -1 -2 -3 -4 -5 **FAIL**

### Case-specific criteria

#### Smile design

Smile line not harmonious with other teeth

0 -1 -2 -3 -4 -5 -6 -7 -8 -9 -10 **FAIL**

Asymmetrical centrals: -5

0 -1 -2 -3 -4 -5 -6 -7 -8 -9 -10 **FAIL**

Reverse smile line

**Fail**

Canted midline (relative to facial midline):

**Fail**

ONLY APPLIES IF TWO CENTRAL INCISORS TREATED

H:W proportions of centrals outside range of 0.7 to 0.85

0 -1 -2 -3 -4 -5 -6 -7 -8 -9 -10 **FAIL**

Long axes of treated teeth incorrect (*max -3 per tooth*)

0 -1 -2 -3 -4 -5 -6 -7 -8 -9 -10 **FAIL**

#### Gingival aesthetics (of treated teeth)

Papillae absent / black triangles:

**Fail**

#### Colour (of restorations)

Value slightly off (noticeable only on 1:1 B&W photo):

0 -1 -2 -3 -4 -5 -6 -7 -8 -9 -10 **FAIL**

Colour slightly off (noticeable on 1:1):

0 -1 -2 -3 -4 -5 -6 -7 -8 -9 -10 **FAIL**

Colour drastically off (noticeable on 1:2 or greater):

**Fail**

**Characterisation (translucency, mamelons) of treated teeth)**

Visible margins ( <i>if visible on 1:2 – up to -5; on 1:1 – up to -2</i> )	0 -1 -2 -3 -4 -5 -6 -7 -8 -9 -10 <b>FAIL</b>
Visible margins ( <i>on full face shot</i> )	<b>Fail</b>
Characterisation does not match adjacent/contralateral teeth	0 -1 -2 -3 -4 -5 -6 -7 -8 -9 -10 <b>FAIL</b>
Characterisation matches adjacent/contralateral teeth well	+5 +4 +3 +2 +1 0
Restoration under/overt textured	0 -1 -2 -3 -4 -5 -6 -7 -8 -9 -10 <b>FAIL</b>
Restoration under/overpolished	0 -1 -2 -3 -4 -5 -6 -7 -8 -9 -10 <b>FAIL</b>
Surface texture/polish matches adjacent/contralateral teeth well	+5 +4 +3 +2 +1 0
Embrasures do not match adjacent/contralateral teeth	0 -1 -2 -3 -4 -5 -6 -7 -8 -9 -10 <b>FAIL</b>

**General**

Smile does not look 'perfect'	0
Overall look of case: -2 to +2 <b>unless border line case</b>	0 -1 -2 -3 -4 -5 -6 -7 -8 -9 -10 <b>FAIL</b>
Discussion shows clear understanding of the technique	+5 +4 +3 +2 +1 0

\* provided some noticeable improvement has been made by the treatment