

Case type 1: Multiple, complex restorations using direct or indirect restorative procedures

General criteria

Open/defective margins (intra-oral / radiographs)

Fail

Open contacts

0 -1 -2 Fail

Iatrogenic damage to adjacent teeth

Fail

Inappropriate preparation of teeth

0 -1 -2 -3 -4 -5 FAIL

Soft tissue health

Inflammation on photos

FAIL

Interproximal black triangles

0 -1 -2 -3 -4 -5 -6 -7 -8 -9 -10

FAIL

Photography

Poor photography

0 -1 -2 -3 -4 -5 FAIL

Required photographs missing

0 -1 -2 FAIL

Blood, excess saliva / lips covering margins

0 -1 -2 FAIL

Pictures out of focus / poorly framed

0 -1 -2 -3 -4 -5 FAIL

Pictures inappropriately exposed

0 -1 -2 -3 -4 -5 FAIL

Case-specific criteria

Smile design

Flat smile line in young patient

0 -1 -2 -3 -4 -5 FAIL

Grossly over exaggerated smile line in older patient

0 -1 -2 -3 -4 -5 FAIL

Asymmetrical centrals

0 -1 -2 FAIL

Reverse smile line

0 -1 -2 -3 -4 -5 FAIL

Midline parallel to or co-incident with facial midline

Canted midline (relative to facial midline)

0 -1 -2 FAIL

Proportions (*Grossly out not to exact proportion*)

H:W proportions of centrals outside range of 0.7 to 0.85

0 -1 -2 -3 -4 -5 FAIL

(0 if low lip line)

Long axes

Long axes incorrect (*max -3 per tooth*)

0 -1 -2 -3 -4 -5 -6 -7 -8 -9 -10 FAIL

Gingival aesthetics

Gingival margin of laterals higher than centrals / canines

0 -1 -2 -3 -4 -5 -6 -7 -8 -9 -10 FAIL

Creation of black triangles

FAIL

Gingival levels of centrals asymmetric (visible on 1:2)

0 -1 -2 -3 -4 -5 -6 -7 -8 -9 -10 FAIL

i.e. gross asymmetry

0 -1 -2 -3 -4 -5 -6 -7 -8 -9 -10 FAIL

Visible margins (visible on 1:2) (*max -5 per tooth*)

Characterisation

Monochromatic appearance	0 -1 -2 -3 -4 -5 FAIL
Polychromatic appearance, within tooth or within arch	0 +1 +2 +3 +4 +5 +6 +7 +8 +9 +10
Surface texture flat & unnatural	0 -1 -2 -3 -4 -5 -6 -7 -8 -9 -10 FAIL
Surface over textured	0 -1 -2 -3 -4 -5 -6 -7 -8 -9 -10 FAIL
Silhouettes over contoured	0 -1 -2 -3 -4 -5 -6 -7 -8 -9 -10 FAIL
Embrasures unnaturally square or rounded	0 -1 -2 -3 -4 -5 -6 -7 -8 -9 -10 FAIL
Incorrect antero-posterior progression of embrasures (<i>max -2 per tooth</i>)	0 -1 -2 -3 -4 -5 -6 -7 -8 -9 -10 FAIL

Colour

Upper & lower teeth well-matched	0 +1 +2 +3 +4 +5 +6 +7 +8 +9 +10
Upper & lower poorly matched	0 -1 -2 -3 -4 -5 -6 -7 -8 -9 -10 FAIL
Single dark tooth masked well	0 +1 +2 +3 +4 +5 +6 +7 +8 +9 +10

General

Overall look of case: -2 to +2 unless border line case	+2 +1 0 -1 -2
Large improvement for difficult case	+5 +4 +3 +2 +1 0